



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/704,260	11/01/2000	Lonnie Bassett	WEAT/0096	3372

36735 7590 09/26/2003

MOSER, PATTERSON & SHERIDAN, L.L.P.
3040 POST OAK BOULEVARD, SUITE 1500
HOUSTON, TX 77056-6582

EXAMINER

BAHTA, KIDEST

ART UNIT	PAPER NUMBER
----------	--------------

2125

DATE MAILED: 09/26/2003

5

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/704,260

Applicant(s)

BASSETT, LONNIE

Examiner

Kidest Bahta

Art Unit

2125

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-44 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: .

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Bearden et al. (U.S. Patent 6,167,965).

Regarding claims 1 and 15, Bearden discloses a down hole pumping system (Fig. 1A- Fig. 1L), comprises: pump (Fig. 1A, element 11); fluid outlet line (Fig. 1A, element 43) connected to the pump (Fig. 1A; column 5, lines 34-43); a motor (Fig. 1L, element 17) connected to the pump (Fig. 1L, element 11); at least one sensor (column 7, lines 62-63) disposed and configured to collect operating variable information (column 7, line 58 to column 8, lines 42); a flow controller (Fig. 1A, element 27; i.e., a check valve) disposed in the fluid outlet line (Fig. 1A), control unit (Fig. 1M, element 411) couple to the sensor (Fig. 1M, elements 401 and 403) and configured to control operation of the flow controller in response to input received from the at least one sensor to determine an operating variable value (column 9, line 37- column 10, line 11); compare the operating variable value with a target value and than selectively issue a control signal to the flow controller (column 11, line 15 to column 13, line 51).

Art Unit: 2125

Regarding claim 2, Bearden discloses at least one sensor is disposed on the down hole pumping system (Fig. 1L, elements 171, 173 and 175; column 7, lines 62-63)).

Regarding claim 3, Bearden discloses the at least one sensor comprises at least one of a pressure sensor (Fig. 1L, elements 173 and 197) and a flow meter (Fig. 1L, elements 203) disposed in the fluid line (column 8, lines 57-58).

Regarding claim 4, Bearden discloses the at least one sensor comprises a pressure sensor disposed at an upper end of the pump (Fig. 1L, element 201).

Regarding claim 5, Bearden discloses the flow controller is gate style pressure valve (column 5, lines 54-55; Fig. 1A, element 27).

Regarding claims 6, 11 and 14, Bearden discloses the control unit is coupled to the down hole pumping system and is configured to control the operation of the down hole pumping system in response to the operating variable information (column 11, lines 15-51).

Regarding claim 7, Bearden discloses the at least one sensor comprises a first pressure sensor disposed in the flow line (Fig. 1L, elements 202) and a second pressure sensor disposed at an upper end of the pump (Fig. 1L; elements 201 and 203).

Regarding claim 8, Bearden discloses the operation variable is selected from at least one of a pressure value (Fig. 2A) and flow rate value (Fig. 2J and Fig. 2k) and wherein the processing system is configured to selectively issue a control signal to the flow controller according to a comparison between the operating variable information

Art Unit: 2125

and one or more target value (column 12, line 56 to column 13, line 51; column 17, lines 38).

Regarding claim 9, Bearden discloses the processing system is configured with timer values that define a delay period before the control signal is issued (column 10, lines 13-22).

Regarding claims 10, 13, 17, and 23, Bearden discloses the at least one sensor and motor sensor is configured to collect operating variable information comprising at least one of a current value, a voltage value and a load value (Fig. 1L, elements 179 and 181; column 7, line 57 to column 8, line 18; Fig. 2N - Fig. 2O).

Regarding claim 12, Bearden discloses the pumping system comprises a motor (Fig. 1L, element 17) coupled to the pump (Fig. 1L, element 11).

Regarding claims 16 and 20-21, Bearden discloses selectively issuing the control signal to the flow controller comprises issuing the control signal if the operating variable value is different from the target value (column 12, lines 24-55); the at least one sensor comprises a motor operations sensor and wherein comparing the operating variable value with the target value determines where an adverse motor operating condition exists (column 22, lines 25-57), if the adverse motor operating condition exist, the control unit is configured to issue a motor halt signal if the adverse motor operating condition persists for a predetermined period of time after the control signal is issued (column 12, line 56 to column 13, line 51; column 15, lines 5-39; column 36, lines 19-35, Fig. 2A; Fig. 2X- Fig. 2DD).

Art Unit: 2125

Regarding claims 18-19, Bearden discloses a surface pressure sensor disposable in the fluid outlet line (column 5, lines 34-43); and a well bore pressure sensor disposable in the well bore (column 8, lines 11-42); the at least one sensor comprises a surface pressure sensor and a well bore pressure sensor disposable downstream from the flow controller (Fig. 1A; column 5, lines 34-43).

Regarding claim 22, Bearden discloses the at least one sensor comprises a motor sensor (column 7, lines 58 – column 8, line 11).

Regarding claims 24-25, Bearden discloses the control unit is configured to control and to halt the operation of the down hole pumping system in response to the operating information (column 9, line 23 - column 10, line 11).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made

4. Claims 26-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bearden et al. (U.S. Patent 6,167,965).

Regarding claims 26, 34 and 44, Bearden discloses a processor (Fig. 4E, element 1070); memory (Fig. 1M, element 417) containing a sensor program which, when executed by the processor performs (column 9, lines 37-58) a method comprising:

Art Unit: 2125

receiving a signal from at least one sensor configured to collect operating information from a down hole pumping system (Fig. 1L - Fig. 2B; Fig. 2D - Fig. 2G; Fig. 2P - Fig. 2DD; column 8, line 1- column 9, line 36); comparing the operating variable value (monitoring value) with a predetermined target value (required value) contained in the memory (Figs., 2A, 2B, 2D, 2P, 2Q, 2X- 2Z, 2AA, 2BB, 2DD and 3Q; column 12, line 56 - column 13, line 24; column 15, lines 10-39; i.e.; compared to one or more intake pressure thresholds which have been recorded in memory and compare the actual flow rate with one or more desired flow rates).

However, Bearden fails to specifically disclose that if a different between the operation variable value and the predetermined target value *is greater than a threshold value*, outputting a flow control to a flow controller.

Bearden discloses the controller (411) compare the actual monitoring value to the required value in order to determine whether the threshold or thresholds have been violated (Fig. 2A, steps 215 and 217; Fig. 2B, steps 233 and 235; i.e., compare actual flow rate with desired flow rate; is/are desire flow rates met?); *if* the value of the threshold *have not been violated* (Fig. 2A, step 213 and Fig. 2B, step 231; i.e., continuing the monitoring operation of flow rate); if the value of the thresholds *have been violated* (Fig. 2A, steps 219-225; Fig. 2B, steps 237-243, i.e.; controller (411) is utilized to alter one or more operation condition as per program instructions).

Therefore, it is clear that by violating a threshold, the difference between the operation value (monitor or actual value) and predetermined target value (desired

Art Unit: 2125

value), would be either greater or less than the threshold value (column 12, line 56 – column 13, lines 43).

It would have been obvious to a person of ordinary skill in the art at the time was the invention made to have used the method of Bearden because it would provide an optimal operation range for the pump and controller. Furthermore, it could be utilized to continuously monitor and control the efficiency of operation of the pump.

Regarding claims 27 and 35, Bearden discloses the threshold value is whether violated or not and compare the threshold value with the target value ((column 12, line 56 – column 13, lines 43).

Bearden fails to specifically disclose the threshold value is zero.

However, to compare the threshold value with the operation variable value, the threshold value has to have a constant or defined number. Therefore, it would have been obvious to a person of ordinary skill in the art to select different defined threshold value because by providing a specific value it would be easier to detect the violation or operation condition.

Regarding claims 28-30, Bearden discloses the at least one sensor comprises at least one pressure sensor (Fig. 1L, elements 173, 185,197) and motor operation sensor (Fig. 1L, element 17); the at least one sensor comprises at least one pressure sensor disposed in a fluid outlet line couple to the down hole pumping system and having the flow controller disposed therein (column 7, lines 57- column 8, line 18, Fig. 3A- Fig. 3Dfig. 4B).

Regarding claims 31 and 41, Bearden discloses the at least one sensor comprises a fluid pressure sensor and motor sensor configured to collect operating information comprising at least one of a current value, a voltage value and load value from a pump motor (column 8, lines 4-18; Fig. 2N and Fig. 2O).

Regarding claims 32 and 33, Bearden discloses the at least one sensor comprises a motor operation sensor and wherein comparing the operating variable value with the target value determines whether an adverse motor operation condition exists, if the adverse motor operating condition exists, the processor is configured to issue a motor halt signal, if the adverse motor operating condition persists for predetermined period of time after the control signal is issued (column 12, line 56 to column 13, line 51; column 15, lines 5-39; column 36, lines 19-35, Fig. 2A).

Regarding claim 36, Bearden discloses the sensor is submersed in a fluid contained in the well bore (1A, column 5, lines 34-43).

Regarding claim 37, Bearden discloses the sensor and flow controller are disposed in a fluid line (Fig. 1M).

Regarding claims 38 and 39, Bearden discloses the operating variable value is indicative of head pressure of fluid contained in the well bore and receiving the flow control signal at the flow controller and adjusting the flow rate of well bore fluid through a flow line (column 8, lines 19-42).

Regarding claim 40, Bearden discloses the down hole pumping system comprises a pump and a pump motor and wherein the sensor is a motor sensor (column 7, line 58- column 8, line 11, Fig. 1L).

Regarding claims 42 and 43, Bearden discloses adjusting the operation of the motor comprises halting the motor (column 10, lines 35-55).


Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

6. Any inquiry concerning communication or earlier communication from the examiner should be directed to Kidest Bahta, whose telephone number is (703) 308-6103. The examiner can normally be reached on M-F from 7:30 a.m. to 4:00 p.m. If attempts to reach the examiner by phone fail, the examiner's supervisor, Leo Picard, can be reached (703) 308-0538. Additionally, the fax phone for Art Unit 2125 is (703) 308-6306 or 308-6296. Any inquiry of a general nature or relating to the status of this application should be directed to the group receptionist at (703) 305-9600.

Kidest Bahta

September 16, 2003

A handwritten signature in black ink, appearing to read 'Kidest Bahta', is written over the typed name and date.